

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

Based on an inspection this day, the item(s) noted below identify violations (410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

7600 Owner & Owner's A 7600	No. ent Addre HWY Lias ddress Hw	ss (nu	mber and street, city, state, zip code) George bun IN 47122 Roman	Telephone Number 8/2-95/-280/ 8/2-95/-283/ Purpose: 1. Routine 2. Follow-up 3. Complaint	Date of Inspection (mm/dd/yr) 8/2 //9 93 Follow-up Release Date YeS Foday Summary of Violations:	
Responsible Certified F	e Person's	E-ma	Missing	4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list)	C NC R Menu Type (See back of page) 1 2 3 4	
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" • VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"						
Section#	C/NC	R	Narrative	, , , , , , , , ,	,	To Be Corrected By
118		ļ	Observed no certified took	handler certi	ticate.	inmitafly
			- Email copy to tsnider@	floydcounty in	90V	-3days
173	C		Observed puckaged Choriz	7		Corrector
				poler.		011-0100
415	C		2.4			3 days
713			, , , , , , , , , , , , , , , , , , , ,	1 1/43 · Ca-7		5 11042
0			in Kitchen	1 0		··· / · · /
245	NC	R	Observed met senitizer rags out of corrected.			
[Sanitizer Solution.	,		ı
324	NC		Observed leak under wa	rewosh mach	ine	Iwek
431	NC		Observed large puddle throughout warnash today			
			ara Savegle to drain.			
 	Squaga to aran.					
· · · ·		-	1 011-			
	<u> </u>	<u> </u>	- A follow-up will be done in			
		ļ	I week or later.			
Received by (name and title printed): Thomas Snider. EHS						
Received by (signature): Inspected by (signature):						
cc;			cc:		ce:	